

FAV, Talk no. 8, Retina and visual pathway, or Visual Periphery

<http://onyx.lf1.cuni.cz/mlab/ftp/PPT-CVUT/>

Petr Maršálek

November 2020, 2021



Outline 8 – Retina and Subcortical Visual Pathway

- Retina, Point Spread Function
- Adaptation, Acomodation
- Visual Acuity, Optical Eye Media, Lens
- Rods, Cones, Illumination, Black and White and Color Vision
- Ten Neural Layers in Retina, Functional Aspects
- Binocular Vision and Its Disorders, Vergence, Strabism
- Saccades, Visual Following, Nystagmus
- Visuomotor Eye Movement Control, Basic Concepts
- Optical nerve, Perimeter, Objective Perimeter
- Color Opponent System in the Visual Pathway



1 20/200

2 20/100

3 20/70

4 20/50

5 20/40

6 20/30

7 20/25

8 20/20

9

10

11

Snellen (N/36)
Optotypes have (N/32)
 letters with defined (N/28)

letter size, or number of points(N/26)

seen from a calibrated distance. (N/24)

This is written as fraction. (N/22)

The best vision is: 6/6 (N/20)

From distance six meters/ (N/18)

we see six points (B/16)

(one arch minute each). (B/14)

Functional classification of vision impairment

Fraction denotes: we see 6 points/ from 6 m distance.

Geometry of 2D angle is simplified to a square patch.

1 normal vision		6/6
2 low vision	worse than	($<$) 6/18
(on the best eye with corrective lenses)		
3 (practical) blindness		$< 3/60$
or narrowing of visual angle less than		$< 10^{\circ} \times 10^{\circ}$
other norm	$< 6/60,$	$< 20^{\circ} \times 20^{\circ}$
4 <i>amblyopia</i>		

Visual Acuity: 1' (angular minute)






Image results
from convolution
of object and point
spread function


Far and Near Point

B. Eye: Accommodation for (1) far vision and (2) near vision

1 Lens adjusted for far vision





2 Lens adjusted for near vision




Myopia

Correction



Accommodation = Focusing to Get Sharp Image



Accommodation = Focusing to Get Sharp Image


In individual development and ageing, far and near point positions change.

Around age of 50, elasticity of lens drops to the point that the near point is far enough that practically merges with the far point.


(As next stage, with the use of current eye treatment, patients with cataract have implanted artificial lenses...)

Visual Acuity, Day and Night Acuity

B. Retina: Photosensor distribution, sensitivity in darkness and visual acuity





Perimeter investigation



Lacrimal Gland and Duct, Eye Muscles





B. Right eye: tear inflow and drainage



Aperture Versus Depth of Field


(světelnost/ clona, hloubka ostrosti)

Apply to Human Eye Functioning as Well




Aperture Versus Depth of Field

Apply to Human Eye Functioning as Well



Adaptation to Day and Night Illumination Conditions







Figure 1. Structure of the retina, showing the outer segments (OS), inner segments (IS), outer nuclear layer (ONL), outer plexiform layer (OPL), inner nuclear layer (INL), inner plexiform layer (IPL), ganglion cell layer (GCL), horizontal cells (H), bipolar cells (B), amacrine (A), and rod bipolar (RB) cells.


Ten Layers of Retina

Optic nerve is output of retina.

Retina is unique neural network of immense size of one million output lines (patch of = $10^3 \times 10^3$).


It is poorly understood...

From Light Through Receptor Potential to Action Potentials and Coding in Optical Nerve




Od světla přes receptorový potenciál
k akčním potenciálům a kódování ve zrakovém nervu

From Light Through Receptor Potential to Action Potentials and Coding in Optical Nerve




From Light Through Receptor Potential to Action Potentials and Coding in Optical Nerve


C. Receptive field-related contrast (on ganglion cells)



Electric Potentials of Retina





Day and Night Vision, with Rods and Three Cone Types



Color Blindness is manifested in men (XY) only, as it is located to X chromosome, which have women in duplicate (XX). It also includes visual acuity impairment due to different densities of cones.


Protanopia and Deuteranopia and How They (May) See Colors

Viděné barvy	NORMÁLNÍ OKO	BARVOSLEPÉ OKO	
		na červenou barvu	na zelenou barvu
	červená	špinavě zelená	žlutočervená
	oranžová	žlutá	žlutá
	žlutá	světle žlutá	žlutá
	žlutozelená	šedožlutá až bílá	žlutá
	zelená	šedá	šedožlutá až bílá
	modrá	světle modrá	světle modrá
	fialová	modrá	modrá




Binocular/ Stereoscopic Vision

A. Binocular visual field




B. Horopter



Binocular/ Stereoscopic Vision

C. Three-dimensional vision (binocular vision)



Geometry of disparities using the Cyclopean Eye


Binocular Focusing is Realized by Eye Con- and Di-Vergence

Vergence eye movements

Either blur or retina disparity will generate vergence.

Latency for vergence movements is ~160 ms.

Maximum velocity is 20°/sec.



(Con)vergence disorder is called strabismus.

Stereoscopic Vision

Binocular: Stereo Disparity, in Near Field Scene Only

Monocular: - By Perspective


- By Known Object Sizes

- By Parallax (in Disparity and Relative Motion)

D. Cues for depth vision



Visual Fields in Optic Nerve and their Defects




Literary references


[Despopoulos, Silbernagl,
Color Atlas of Physiology, 1991],
etc

[Marsalek, Hajny, Vokurka,
Pathological physiology of visual
pathway. 2017]

Random dot stereogram (autostereogram)



Random dot stereogram (autostereogram)



Other stereoscopic perception can be obtained using red and blue anaglyphs. This will be also subject in next two lectures:

- Visual cortex
- Vision/ hearing cross, also about space perception



Conclusionc

Retina and Subcortical Visual Pathway

- Retina, Point Spread Function
- Adaptation, Acomodation
- Visual Acuity, Optical Eye Media, Lens
- Rods, Cones, Illumination, Black and White and Color Vision
- Binocular Vision and Its Disorders, Vergence, Strabism
- Saccades, Visual Following, Nystagmus
- Visuomotor Eye Movement Control, Basic Concepts
- Ten Neural Layers in Retina, Functional Aspects
- Optical nerve, Perimeter, Objective Perimeter
- Color Opponent System in the Visual Pathway

Thanks for your attention

Warning: neither the PDF, nor the PPT, PPTX, etc.
versions of this presentation are official study materials.
For internal use only. Do not distribute.

Contact: Petr.Marsalek@LF1.CUNI.CZ

First Medical Faculty, Institute of Pathological Physiology

České vysoké učení technické v Praze, Fakulta elektrotechnická Právní doložka (licence) k tomuto Dílu (elektronický materiál) České vysoké učení technické v Praze (dále jen ČVUT) je ve smyslu autorského zákona vykonavatelem majetkových práv k Dílu či držitelem licence k užití Díla. Užívat Dílo smí pouze student nebo zaměstnanec ČVUT (dále jen Uživatel), a to za podmínek dále uvedených.

ČVUT poskytuje podle autorského zákona, v platném znění, oprávnění k užití tohoto Díla pouze Uživateli a pouze ke studijním nebo pedagogickým účelům na ČVUT. Toto Dílo ani jeho část nesmí být dále šířena (elektronicky, tiskově, vizuálně, audiem a jiným způsobem), rozmnožována (elektronicky, tiskově, vizuálně, audiem a jiným způsobem), využívána na školení, a to ani jako doplňkový materiál. Dílo nebo jeho část nesmí být bez souhlasu ČVUT využívána ke komerčním účelům. Uživateli je povoleno ponechat si Dílo i po skončení studia či pedagogické činnosti na ČVUT, výhradně pro vlastní osobní potřebu. Tím není dotčeno právo zákazu výše zmíněného užití Díla bez souhlasu ČVUT. Současně není dovoleno jakýmkoliv způsobem manipulovat s obsahem materiálu, zejména měnit jeho obsah včetně elektronických popisných dat, odstraňovat nebo měnit zabezpečení včetně vodoznaku a odstraňovat nebo měnit tyto licenční podmínky.

V případě, že Uživatel nebo jiná osoba, která drží toto Dílo (Držitel díla), nesouhlasí s touto licencí, nebo je touto licencí vyloučena z užití Díla, je jeho povinností zdržet se užívání Díla a je povinen toto Dílo trvale odstranit včetně veškerých kopií (elektronické, tiskové, vizuální, audio a zhotovených jiným způsobem) z elektronického zařízení a všech záznamových zařízení, na které jej Držitel díla umístil.

END OF THE LECTURE

